

	Hits	Search Text	DBs
1	0	LCD and driver\$2 and ((unused unconnected) adj3 driver adj3 pin\$2)	USPAT; US-PGPUB
2	0	LCD and ((unused unconnected) adj3 driver adj3 pin\$2)	USPAT; US-PGPUB
3	0	LCD and ((unused unconnected) adj3 driver adj3 pin\$2)	EPO; JPO; DERWENT; IBM_TDB
4	1	LCD and driver\$2 and ((unused unconnected) with driver with pin\$2)	USPAT; US-PGPUB
5	0	LCD and (unused adj driver adj pins)	USPAT; US-PGPUB
6	0	LCD and (unused adj pins)	EPO; JPO; DERWENT; IBM_TDB
7	1	LCD and (unused near6 pins)	EPO; JPO; DERWENT; IBM_TDB
8	33	LCD and (unused adj pins)	USPAT; US-PGPUB
9	9	LCD and (unconnected adj pins)	USPAT; US-PGPUB
10	4	(LCD near6 driver) and (unconnected near2 pins)	USPAT; US-PGPUB
11	93	(LCD near6 driver) and (invalid with data)	USPAT; US-PGPUB
12	0	20010045926.URPN.	USPAT
13	0	20010045926.URPN.	USPAT
14	0	20010045926.URPN.	USPAT
15	0	20010045926.URPN.	USPAT
16	0	20010045926.URPN.	USPAT
17	0	20010045926.URPN.	USPAT
18	0	(LCD near6 driver) and (invalid with data)	EPO; JPO; DERWENT; IBM_TDB
19	14	(LCD near6 driver) and ((unused unconnected) near6 pins)	USPAT; US-PGPUB
20	5	(LCD near6 driver) and ((unused unconnected) near6 terminals)	USPAT; US-PGPUB
21	1	(LCD near6 driver) and ((unused unconnected) near6 terminals)	EPO; JPO; DERWENT; IBM_TDB
22	48	4922240.URPN.	USPAT
23	48	4922240.URPN.	USPAT
24	4	("3862360"   "4582395"   "4724433"   "4789857").PN.	USPAT
25	2	("4082430"   "4368523").PN.	USPAT

	Hits	Search Text	DBs
26	1	6380919.pn.	USPAT; US-PGPUB
27	0	6380919.URPN.	USPAT
28	0	6380919.URPN.	USPAT
29	0	6380919.URPN.	USPAT
30	14	("4338600"   "4393405"   "4745485"   "4822142"   "4870493"   "4922240"   "5051739"   "5091722"   "5093655"   "5369417"   "5642129"   "5748165"   "5781164"   "5844538").PN.	USPAT
31	0	(multiple adj5 column adj5 driv\$4) and (dot near5 inversion)	USPAT; US-PGPUB
32	0	(multiple near6 column near6 driv\$4) and (dot near5 inversion)	USPAT; US-PGPUB
33	122	(multiple near6 column near6 driv\$4)	USPAT; US-PGPUB
34	1	(multiple near6 column near6 driv\$4) and ((unconnected unused) with (terminal\$3 pins))	USPAT; US-PGPUB
35	1	(multiple near6 column near6 driv\$4) and ((invalid ineffective) with (dat\$4))	USPAT; US-PGPUB
36	29	(multiple near6 column near6 driv\$4) and LCD	USPAT; US-PGPUB
37	1	(multiple near6 column near6 driv\$4) and LCD	EPO; JPO; DERWENT; IBM TDB
38	0	(multiple near6 column near6 driv\$4) and ((unconnected ) with (terminal\$3))	USPAT; US-PGPUB
39	82	(column near6 driv\$4) and ((unconnected unused) with (terminal\$3 pins))	USPAT; US-PGPUB
40	7	(column near6 driv\$4) and ((unconnected unused) with (terminal\$3 pins)) and LCD	USPAT; US-PGPUB
41	28	takahara.in. and LCD	USPAT; US-PGPUB
42	1	lcd and (dot near6 inversion) and ((unconnected unused) near9 (pins terminals bits))	USPAT; US-PGPUB
43	167	lcd and (dot near6 inversion)	USPAT; US-PGPUB
44	0	lcd and (dot near6 inversion) and ((unconnected unused) near9 (pins terminals bits))	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
45	3	lcd and (dot near6 inversion) and ((unconnected unused auxiliary) with (pins terminals bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	4	lcd and (dot with inversion) and ((unconnected unused auxiliary) with (pins terminals bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	71	lcd and (dot near6 inversion) and even and odd	USPAT; US-PGPUB
48	2	6229513.URPN.	USPAT
49	10	("5010325"   "5196738"   "5252957"   "5307085"   "5657040"   "5880707"   "5900857"   "5907314"   "5929832"   "6025835").PN.	USPAT
50	1	6229513.pn.	USPAT; US-PGPUB
51	2	6229513.URPN.	USPAT
52	10	("5010325"   "5196738"   "5252957"   "5307085"   "5657040"   "5880707"   "5900857"   "5907314"   "5929832"   "6025835").PN.	USPAT
53	673	igarashi.in. and (pin terminal bit)	USPAT; US-PGPUB
54	2	igarashi.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	USPAT; US-PGPUB
55	1	oowaki.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	USPAT; US-PGPUB
56	5	nakano.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	USPAT; US-PGPUB
57	7	nakano.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	2	nakano.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	EPO; JPO; DERWENT; IBM_TDB
59	3	igarashi.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	EPO; JPO; DERWENT; IBM_TDB
60	1	LCD and (two near5 pixel near5 input near5 mode)	USPAT; US-PGPUB
61	1	LCD and (two near5 pixel near5 input near5 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	8	LCD and (two with pixel\$2 with input with mode)	USPAT; US-PGPUB
63	1	LCD and (two with pixel\$2 with input with mode)	EPO; JPO; DERWENT; IBM_TDB
64	110	LCD and (pixel with mode)	EPO; JPO; DERWENT; IBM_TDB
65	4	LCD and (pixel with mode) and timi\$5	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
66	796	LCD and (pixel with mode) and timi\$5	USPAT; US-PGPUB
67	0	LCD and (pixel adj mode) and timi\$5	EPO; JPO; DERWENT; IBM_TDB
68	3	LCD and (pixel near5 mode) and timi\$5	EPO; JPO; DERWENT; IBM_TDB
69	519	LCD and (pixel near5 mode) and timi\$5	USPAT; US-PGPUB
70	196	LCD and (pixel adj3 mode) and timi\$5	USPAT; US-PGPUB
71	1	LCD and (pixel adj mode) with timi\$5	USPAT; US-PGPUB
72	5	LCD and (pixel adj mode) same timi\$5	USPAT; US-PGPUB
73	47	LCD and (pixel adj mode) and timi\$5	USPAT; US-PGPUB
74	1	LCD and (two adj pixel adj mode)	USPAT; US-PGPUB
75	0	20020051511.URPN.	USPAT
76	0	20020051511.URPN.	USPAT
77	0	20020051511.URPN.	USPAT
78	0	20020051511.URPN.	USPAT
79	1	LCD and (two adj pixel adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	33	LCD and (two adj pixel with mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	53	LCD and (two adj3 pixel near5 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	67	LCD and microprocessor and (clock adj counter) and comparator	USPAT; US-PGPUB
83	66	(LCD and microprocessor and (clock adj counter) and comparator) and switch	USPAT; US-PGPUB
84	4	LCD with (clock near4 counter) with comparator with switch	USPAT; US-PGPUB
85	183	(345/50).CCLS.	USPAT; US-PGPUB
86	307	(345/55).CCLS.	USPAT; US-PGPUB
87	1107	(345/87).CCLS.	USPAT; US-PGPUB
88	404	(345/92).CCLS.	USPAT; US-PGPUB

	Hits	Search Text	DBs
89	1245	(345/98-100).CCLS.	USPAT; US-PGPUB
90	146	(345/206).CCLS.	USPAT; US-PGPUB
91	0	((345/87).CCLS.) and LCD and (unused near6 pins)	EPO; JPO; DERWENT; IBM TDB
92	0	1-6 and LCD and (unused near6 pins)	EPO; JPO; DERWENT; IBM TDB
93	116	(LCD) and ((unused unconnected) near6 (terminals pins))	USPAT
94	158	(LCD) and ((unused unconnected ineffective) adj3 (terminals pins data))	USPAT
95	158	(LCD) and ((unused unconnected ineffective) adj3 (terminals pins datum))	USPAT
96	87	((LCD) and ((unused unconnected ineffective) adj3 (terminals pins data))) not ((LCD) and ((unused unconnected) near6 (terminals pins)))	USPAT
97	69	(LCD) and ((unused unconnected) adj3 (terminals pins))	USPAT